



U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 368-0123

Case Vehicle (A): 1999 Ford
Type: F-150 Supercab, 4-door, 4x2 pickup
Driver: 22-year-old male
CDC: 12-RBMS-1, 99-0000-0, 12-FZEW-5

SITUATION

(Slide 1) Case vehicle (A) was traveling west in the westbound lane of two-lane, two-way, asphalt roadway. It was dark without streetlights and the road was dry. The driver of case vehicle (A) was fleeing from the police and was driving without headlights. (Slides 2, 3, 4, and 5) As case vehicle (A) completed a left curve, the driver was unable to maintain control, and the vehicle departed the north side of the roadway. (Slides 6, 7, and 8) Case vehicle (A) traveled in a westerly direction across a paved business parking lot, went over a lawn, and sideswiped a tree with its right-rear quarter panel. (Slides 9, 10, 11, 12, 13, 14, and 15) Case vehicle (A) continued in a westerly direction, crossed a driveway and another lawn, struck a metal sign mounted on a pole (the pole was not struck), and then struck a large tree with its front bumper. Case vehicle (A) came to rest against the tree. The unbelted driver was found unconscious, laying face down with his abdomen on the center console, his legs in the driver footwell area, and his head and shoulders on the rear seat. He was flown to a regional level-one trauma center and hospitalized for twenty days before being transferred to a rehabilitation facility. Case vehicle (A) was towed due to damage. The police reported that case vehicle (A) was traveling at 90 mph just prior to leaving the roadway. The driver had been drinking (0.046 BAC) and tested positive for THC.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 16) Overall damage to case vehicle (A) was severe. (Slide 17) Damage from the initial sideswipe impact was minor, with direct damage confined to the right side of the cargo box. Maximum crush to the right side was 3 cm and occurred just above the right-rear axle. (Slides 18 and 19) The maximum crush from the frontal impact was 115 cm and occurred 40 cm to the right of the bumper center. The direct-damage length from the frontal impact was 62 cm and began 22 cm inboard of the right-front bumper corner. (Slides 20 and 21) The right wheelbase was reduced 62 cm, and the left wheelbase was extended 6 cm.

Using the WinSMASH accident-reconstruction program and (slide 22) c-values for case vehicle (A), the following impact severity was calculated for the frontal impact with the tree:

Vehicle	Variable	Calculated Velocity Change - kph (mph)		
		Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	96 (60)	-96 (-60)	0 (0)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

Direct damage from the initial sideswipe impact was on the right side of the vehicle and occurred between the front of the cargo box and the right-rear axle. This damage occurred above the frame and below the beltline, and the maximum crush was 3 cm.

(Slides 23, 24, 25, and 26) The front bumper, both headlight assemblies, the radiator, the grille, and both fenders were damaged during the frontal impact with the tree. The hood was crushed, the hood latch was damaged and jammed shut, and both hood hinges were damaged but did not separate. The rear edge of the hood was elevated and contacted and cracked the windshield, but did not penetrate it. There was an 85-cm horizontal cut in the top left half of the windshield, but this is believed to be due to preliminary extrication efforts. The rescue crew cut the B-pillars and folded the roof forward. The right-front and right-rear doors were jammed shut, and the right-rear door had been removed during extrication of the driver. The right A-pillar was deformed and there was remote buckling of the right roofrail and roof. The left-front and left-rear doors remained closed and operational. The frame was bent and the front of the cargo box contacted and damaged the back of the cab.

Interior

(Slides 27 and 28) This vehicle was equipped with both steering-wheel and passenger frontal-impact airbags, which deployed during the frontal impact. (Slides 29 and 30) No damage was noted to the airbag module doors. (Slide 31) The backside of the driver's airbag appeared to be

slightly melted, probably due to post-crash contact with the airbag inflator module. (Slide 32) The passenger frontal-impact airbag on/off switch was found in the “on” position. (Slides 33 and 34) The steering-wheel rim was not deformed, but the rearward instrument panel intrusion caused the steering-column mounted transmission lever to contact the upper instrument panel. The tilt steering-wheel adjustment mechanism was in the middle position. (Slide 35) The driver-side knee bolster was damaged and showed evidence of driver knee contact (cloth transfers) on both sides of the steering column. (Slide 36) The mid-instrument panel on either side of the steering wheel was damaged by intrusion and driver contact. (Slide 37) The brake pedal was displaced and the accelerator pedal was detached from the vehicle. (Slide 38) The right instrument panel was damaged by intrusion of the cowl and toepan. (Slide 39) The right interior door panel was deformed due to bowing of the exterior door. (Slides 40 and 41) The window control panel mounted on the left interior door was displaced from its mount.

(Slide 42) The entire seating package had been removed by police officers who were conducting a search for weapons. (Slides 43 and 44) The right-front seat cushion was deformed, probably due to intrusion, and the driver seat appeared to be rotated to the right. The center console did not appear to be damaged and (slide 45) the right-rear seat cushion was marked by occupant contact (blood), but was not apparently damaged.

The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
Left front (slide 46)	toepan below right knee contact	32	to rear
	toepan below left knee contact	8	to rear
	instrument panel	17	to rear
Center front	instrument panel	17	to rear
	toepan	38	to rear
Right front (slide 47)	instrument panel	17	to rear
	toepan	47	to rear

OCCUPANT INJURIES AND KINEMATICS

The 5-ft, 5-in, 125-lb, 22-year-old male driver was not wearing the available three-point belt, but the frontal-impact airbag deployed. Lack of belt use was confirmed by the pursuing police officer who was immediately on-scene and reported that the unconscious driver was laying face

down with his legs in the driver footwell area, his abdomen on the center console, and his head and torso on the right-rear seat cushion.

(Slide 48) On impact, the driver moved forward into the airbag, as evidenced by a smudge mark just to the left of center on the airbag fabric. (Slides 49 and 50) His knees contacted the knee bolster on both sides of the steering column, as evidenced by cloth transfers on the knee bolster. (Slides 51, 52, and 53) It also appears that his head contacted the roof/visor, as evidenced by a scuff mark. He sustained bilateral rib fractures with a right hemothorax. This involved right ribs 2 through 6, and left ribs 2 through 4, with the second and third right ribs being fractured in two places. He also sustained a right pulmonary contusion and a contusion to his liver. These injuries were probably caused by compression of the chest from contact with the airbag and the steering wheel through overloading of the airbag due to the high-speed impact and lack of belt restraints. He also sustained a distraction injury at the level of C1, which is also described as a slightly displaced anterior arch fracture. This injury is associated with a subarachnoid hemorrhage at the craniocervical junction and subdural/subarachnoid hemorrhage in the brainstem. The combination of the cervical and brain injuries resulted in an incomplete cord syndrome or hemiplegia (one-sided paralysis). These injuries were probably caused by neck extension and tension, due to either head contact with the roof/visor or to head/neck loading by the deploying airbag, or both. No external head or forehead injuries were noted in the driver's medical record.

The following tables and attached drawings (slide 54) summarize the injuries sustained by the driver.

Occupant: Driver
 Restraints: 3-point belt not worn; airbag deployed

Age: 22 years
 Stature: 165 cm (5 ft 5 in)

Sex: Male
 Mass: 57 kg (125 lb)

Injury Description	A.I.S.	Injury Source		
		Definite	Probable	Possible
C1 anterior arch fracture, slightly displaced, with epidural and subarachnoid hemorrhage at the craniocervical junction – incomplete cord syndrome, hemiplegia	4			Visor/roof or airbag
Subdural/subarachnoid hemorrhage in the brainstem	5			Visor/roof or airbag
Bilateral rib fractures; right ribs 2-6 with right ribs #2 and #3 fractured in two places, left ribs 2-4, with right hemothorax	4		Airbag/steering wheel	
Right pulmonary contusion	3		Airbag/steering wheel	
Liver contusion	2		Airbag/steering wheel	
<u>Maximum A.I.S. Level</u>	<u>5</u>			
<u>Injury Severity Score</u>	<u>45</u>			

TIME

DATE OF COLLISION

 / /

HOUR OF COLLISION

(24 HOUR CLOCK)

LOCATION

STATE:

STATE FIPS CODE

AREA

- (1) URBAN
(2) RURAL
(9) UNKNOWN

ENVIRONMENTAL CONDITIONS

LIMITED-ACCESS HIGHWAY

- (0) NO
(1) YES
(9) UNKNOWN

ROAD, TOTAL TRAFFIC LANES
(FOR CASE VEHICLE)

- (1) 1-LANE
(2) 2-LANES
(3) 3-LANES
(4) 4 OR MORE LANES
(5) DIVIDED, 4 OR MORE LANES
(6) PARKING LOT/DRIVEWAY
(7) OTHER:
(9) UNKNOWN

INTERSECTING RD, TOTAL LANES

CHOOSE FROM ABOVE LIST, OR

- (8) NOT APPLICABLE

TYPE OF ROAD SURFACE

- (1) ASPHALT
(2) CONCRETE
(3) GRAVEL
(4) MORE THAN ONE (CIRCLE EACH)
(7) OTHER:
(9) UNKNOWN

ROAD DEFECTS

- (0) NO
(1) YES
(9) UNKNOWN

ENVIRONMENTAL CONDITIONS

CONSTRUCTION ZONE

- (0) NO
(1) YES
(9) UNKNOWN

ROAD ALIGNMENT
VERTICAL PLANE

- (1) LEVEL
(2) CREST OF HILL
(3) SLOPE (2%)
(4) BOTTOM OF HILL
(9) UNKNOWN

ROAD ALIGNMENT
HORIZONTAL PLANE

- (1) STRAIGHT
(2) CURVE
(3) T - SHAPED
(4) Y - SHAPED
(7) OTHER:
(9) UNKNOWN

SURFACE COVERING

- (10) DRY

(21) WATER - DAMP
(22) WATER - WET
(23) WATER - PUDDLED
(29) WATER - AMOUNT UNKNOWN

(31) SNOW - LOOSE
(32) SNOW - PACKED
(39) SNOW - CONDITION UNKNOWN

- (41) ICE
(51) SLUSH
(61) SPILLED GRAVEL
(71) OTHER:
(99) UNKNOWN

VISIBILITY LIMITATION
(FOR CASE VEHICLE)

- (0) NONE
(1) CLOUDY/DARK
(2) FOG
(3) SMOKE
(4) WINDSHIELD CONDITION
(5) GLARE
(6) RAIN
(7) OTHER:
(8) ICE/SNOW
(9) UNKNOWN

VISIBILITY OBSTRUCTION
(FOR CASE VEHICLE)

- (0) NONE
(1) BUILDING
(2) SIGN
(3) VEGETATION (E.G. BUSHES, SHRUBS)
(4) TREE
(5) HILL OR CURVE IN ROAD
(6) VEHICLE IN TRANSPORT
(7) OTHER:
(8) PARKED VEHICLE
(9) UNKNOWN

*Fleeing Police
with lights off*

ENVIRONMENTAL CONDITIONS

SPEED LIMIT

- | | | |
|-----|-----------------|----------|
| (0) | 5-45 km/h | 5-25 mph |
| (1) | 46-55 | 30 |
| (2) | 56-60 | 35 |
| (3) | 61-70 | 40 |
| (4) | 71-79 | 45 |
| (5) | 80-85 | 50 |
| (6) | 86-90 | 55 |
| (7) | 91-105 | 60 |
| (8) | OVER 105 | 65 |
| (9) | UNKNOWN | |

PRECIPITATION

- (0) NONE
(1) RAIN
(2) SNOW
(3) HAIL
(4) FREEZING RAIN/SLEET
(7) OTHER: _____
(9) UNKNOWN

RATE OF PRECIPITATION

- (1) LIGHT/MIST
(2) MODERATE
(3) HEAVY
(8) NOT APPLICABLE
(9) UNKNOWN

TEMPERATURE

- (0) BELOW -15° C BELOW 5° F
(1) -15 TO -6 5 TO 22
(2) -5 TO -1 23 TO 31
(3) 0 TO 2 32 TO 36
(4) 3 TO 5 37 TO 41
(5) 6 TO 15 42 TO 59
(6) 16 TO 25 60 TO 77
(7) 26 TO 35 78 TO 95
(8) OVER 35 OVER 96
(9) UNKNOWN

CROSSWIND

- (0) NONE
(1) LIGHT
(2) STRONG
(3) GUSTY & STRONG
(9) UNKNOWN

LIGHT CONDITIONS

- (1) DAYLIGHT
- (2) DAWN
- (3) DUSK
- (4) DARK, LIGHTED
- (5) DARK, UNLIGHTED
- (6) DARK, UNKNOWN IF LIGHTED
- (9) UNKNOWN

MECHANICAL MALFUNCTION

WAS THERE MENTION
OF A MECHANICAL MALFUNCTION
IN CASE VEHICLE

- (0) NO
(1) YES
(2) YES, DID NOT CONTRIBUTE
TO ACCIDENT
(9) UNKNOWN

**THE FOLLOWING SECTION SHOULD BE FILLED
OUT IF A MECHANICAL MALFUNCTION IS
RECOGNIZED OR SUSPECTED.**

CIRCLE ITEMS INVOLVED. SUPPORT ANY
ITEMS CIRCLED WITH COMMENTS.

BRAKE SYSTEM DRIVER CONTROLS

EXHAUST SYSTEM

STEERING SYSTEM FUEL SYSTEM

SUSPENSION SYSTEM	VISIBILITY ITEMS
-------------------	------------------

ELECTRICAL SYSTEM	TIRES
1. BATTERY	1. TIRE CONDITION
2. ALTERNATOR	2. TIRE PRESSURE
3. FUSE BLOCK	3. TIRE ROTATION
4. WIRING	4. TIRE REPLACEMENT
5. LIGHTS	5. TIRE STORAGE
6. HORN	6. TIRE DISPOSAL
7. WINDSHIELD WIPERS	7. TIRE REPAIR
8. BRAKE LIGHTS	8. TIRE ALIGNMENT
9. TURN SIGNALS	9. TIRE BALANCE
10. HAZARD LIGHTS	10. TIRE TREAD
11. RADIO	11. TIRE WEAR
12. SPEAKERS	12. TIRE AGE
13. ANTENNA	13. TIRE BRAND
14. CONSOLE	14. TIRE SIZE
15. GLOVE BOX	15. TIRE SPEED
16. TRUNK	16. TIRE WEIGHT
17. SEATBELT	17. TIRE COUNTRY
18. AIRBAG	18. TIRE MANUFACTURE
19. CRUISE CONTROL	19. TIRE DISTRIBUTION
20. POWER WINDOWS	20. TIRE IMPORTANCE
21. POWER LOCKS	21. TIRE HISTORY
22. POWER MIRRORS	22. TIRE FUTURE
23. POWER SEATS	23. TIRE PAST
24. POWER STEERING	24. TIRE PRESENT
25. POWER SUNROOF	25. TIRE UNKNOWN
26. POWER DOORS	26. TIRE UNKNOWN
27. POWER WINDOWS	27. TIRE UNKNOWN
28. POWER LOCKS	28. TIRE UNKNOWN
29. POWER MIRRORS	29. TIRE UNKNOWN
30. POWER SEATS	30. TIRE UNKNOWN
31. POWER STEERING	31. TIRE UNKNOWN
32. POWER SUNROOF	32. TIRE UNKNOWN
33. POWER DOORS	33. TIRE UNKNOWN
34. POWER WINDOWS	34. TIRE UNKNOWN
35. POWER LOCKS	35. TIRE UNKNOWN
36. POWER MIRRORS	36. TIRE UNKNOWN
37. POWER SEATS	37. TIRE UNKNOWN
38. POWER STEERING	38. TIRE UNKNOWN
39. POWER SUNROOF	39. TIRE UNKNOWN
40. POWER DOORS	40. TIRE UNKNOWN
41. POWER WINDOWS	41. TIRE UNKNOWN
42. POWER LOCKS	42. TIRE UNKNOWN
43. POWER MIRRORS	43. TIRE UNKNOWN
44. POWER SEATS	44. TIRE UNKNOWN
45. POWER STEERING	45. TIRE UNKNOWN
46. POWER SUNROOF	46. TIRE UNKNOWN
47. POWER DOORS	47. TIRE UNKNOWN
48. POWER WINDOWS	48. TIRE UNKNOWN
49. POWER LOCKS	49. TIRE UNKNOWN
50. POWER MIRRORS	50. TIRE UNKNOWN
51. POWER SEATS	51. TIRE UNKNOWN
52. POWER STEERING	52. TIRE UNKNOWN
53. POWER SUNROOF	53. TIRE UNKNOWN
54. POWER DOORS	54. TIRE UNKNOWN
55. POWER WINDOWS	55. TIRE UNKNOWN
56. POWER LOCKS	56. TIRE UNKNOWN
57. POWER MIRRORS	57. TIRE UNKNOWN
58. POWER SEATS	58. TIRE UNKNOWN
59. POWER STEERING	59. TIRE UNKNOWN
60. POWER SUNROOF	60. TIRE UNKNOWN
61. POWER DOORS	61. TIRE UNKNOWN
62. POWER WINDOWS	62. TIRE UNKNOWN
63. POWER LOCKS	63. TIRE UNKNOWN
64. POWER MIRRORS	64. TIRE UNKNOWN
65. POWER SEATS	65. TIRE UNKNOWN
66. POWER STEERING	66. TIRE UNKNOWN
67. POWER SUNROOF	67. TIRE UNKNOWN
68. POWER DOORS	68. TIRE UNKNOWN
69. POWER WINDOWS	69. TIRE UNKNOWN
70. POWER LOCKS	70. TIRE UNKNOWN
71. POWER MIRRORS	71. TIRE UNKNOWN
72. POWER SEATS	72. TIRE UNKNOWN
73. POWER STEERING	73. TIRE UNKNOWN
74. POWER SUNROOF	74. TIRE UNKNOWN
75. POWER DOORS	75. TIRE UNKNOWN
76. POWER WINDOWS	76. TIRE UNKNOWN
77. POWER LOCKS	77. TIRE UNKNOWN
78. POWER MIRRORS	78. TIRE UNKNOWN
79. POWER SEATS	79. TIRE UNKNOWN
80. POWER STEERING	80. TIRE UNKNOWN
81. POWER SUNROOF	81. TIRE UNKNOWN
82. POWER DOORS	82. TIRE UNKNOWN
83. POWER WINDOWS	83. TIRE UNKNOWN
84. POWER LOCKS	84. TIRE UNKNOWN
85. POWER MIRRORS	85. TIRE UNKNOWN
86. POWER SEATS	86. TIRE UNKNOWN
87. POWER STEERING	87. TIRE UNKNOWN
88. POWER SUNROOF	88. TIRE UNKNOWN
89. POWER DOORS	89. TIRE UNKNOWN
90. POWER WINDOWS	90. TIRE UNKNOWN
91. POWER LOCKS	91. TIRE UNKNOWN
92. POWER MIRRORS	92. TIRE UNKNOWN
93. POWER SEATS	93. TIRE UNKNOWN
94. POWER STEERING	94. TIRE UNKNOWN
95. POWER SUNROOF	95. TIRE UNKNOWN
96. POWER DOORS	96. TIRE UNKNOWN
97. POWER WINDOWS	97. TIRE UNKNOWN
98. POWER LOCKS	98. TIRE UNKNOWN
99. POWER MIRRORS	99. TIRE UNKNOWN
100. POWER SEATS	100. TIRE UNKNOWN
101. POWER STEERING	101. TIRE UNKNOWN
102. POWER SUNROOF	102. TIRE UNKNOWN
103. POWER DOORS	103. TIRE UNKNOWN
104. POWER WINDOWS	104. TIRE UNKNOWN
105. POWER LOCKS	105. TIRE UNKNOWN
106. POWER MIRRORS	106. TIRE UNKNOWN
107. POWER SEATS	107. TIRE UNKNOWN
108. POWER STEERING	108. TIRE UNKNOWN
109. POWER SUNROOF	109. TIRE UNKNOWN
110. POWER DOORS	110. TIRE UNKNOWN
111. POWER WINDOWS	111. TIRE UNKNOWN
112. POWER LOCKS	112. TIRE UNKNOWN
113. POWER MIRRORS	113. TIRE UNKNOWN
114. POWER SEATS	114. TIRE UNKNOWN
115. POWER STEERING	115. TIRE UNKNOWN
116. POWER SUNROOF	116. TIRE UNKNOWN
117. POWER DOORS	117. TIRE UNKNOWN
118. POWER WINDOWS	118. TIRE UNKNOWN
119. POWER LOCKS	119. TIRE UNKNOWN
120. POWER MIRRORS	120. TIRE UNKNOWN
121. POWER SEATS	121. TIRE UNKNOWN
122. POWER STEERING	122. TIRE UNKNOWN
123. POWER SUNROOF	123. TIRE UNKNOWN
124. POWER DOORS	124. TIRE UNKNOWN
125. POWER WINDOWS	125. TIRE UNKNOWN
126. POWER LOCKS	126. TIRE UNKNOWN
127. POWER MIRRORS	127. TIRE UNKNOWN
128. POWER SEATS	128. TIRE UNKNOWN
129. POWER STEERING	

THROTTLE CONTROLS UNKNOWN

OTHER: _____

COMMENTS: _____

GENERAL INFORMATION GI-3

CRASH DETAILS

CASE VEHICLE AND OBJECT

- (0) NO
(1) YES
(9) UNKNOWN

1
47

CASE VEHICLE ROLLOVER

- (0) NO ROLLOVER
(1) YES, FIRST EVENT
(2) YES, SUBSEQUENT EVENT
(3) YES, SEQUENCE UNKNOWN
(9) UNKNOWN

0
48

CASE VEHICLE RAN OFF ROADWAY
(BEFORE FIRST IMPACT)

- (0) NO
(1) YES
(9) UNKNOWN

1
49

MOVING CASE VEHICLE AND
CONTACTED MOVING VEHICLE

- (0) NO
(1) YES
(9) UNKNOWN

0
50

CASE VEHICLE AND
CONTACTED STOPPED VEHICLE

- (0) NO
(1) YES
(9) UNKNOWN

0
51

STOPPED CASE VEHICLE AND
CONTACTED VEHICLE

- (0) NO
(1) YES
(9) UNKNOWN

0
52

TOTAL NUMBER
OF VEHICLES CONTACTED
BY CASE VEHICLE IN CRASH

- (8) 8 OR MORE
(9) UNKNOWN

0
53

ANY FIRE IN THIS CRASH
(NOT JUST CASE VEHICLE)

- (0) NO
(1) YES
(9) UNKNOWN

0
54

HIGHEST POLICE INJURY
SEVERITY CODE IN CRASH
(NOT JUST CASE VEHICLE)

- (0) O - NO INJURY
(1) C - POSSIBLE INJURY
(2) B - NON-INCAPACITATING INJURY
(3) A - INCAPACITATING INJURY
(4) K - FATAL
(5) INJURED, SEVERITY UNKNOWN
(6) DIED PRIOR TO ACCIDENT
(7) NON-FATAL INJURY
SEVERITY UNKNOWN
(9) UNKNOWN

3
55

DRIVER IMPAIRMENT

DRIVER ALCOHOL INVOLVEMENT
(CASE VEHICLE)

- (0) NONE
(1) YES
(9) UNKNOWN NOT REPORTED
NO DRIVER

9
56

DRIVER ALCOHOL BAC
(CASE VEHICLE)

- (80) NO TEST
(90) CHEMICAL TESTS, NO RESULTS
(95) AUTOPSY, NO RESULTS
(99) UNKNOWN

05
57 58

WAS THERE MENTION OF DRIVER
IMPAIRMENT FOR CASE VEHICLE?

- (0) NO
(1) YES
(9) UNKNOWN

0
59

LIST IMPAIRMENTS MENTIONED:

POST - CRASH DETAIL

MANNER CASE VEHICLE
LEFT SCENE

- (1) DRIVEN
(2) TOWED DUE TO DAMAGE
(3) TOWED, NOT DUE TO DAMAGE
(4) TOWED, REASON UNKNOWN
(9) UNKNOWN

2
60

ACCIDENT SCHEMATIC


ACCIDENT DESCRIPTION: Case vehicle (A) traveling WB while being pursued by police. Driver of (A) lost control, ran off right-side of road + sideswiped a tree, then a sign. Case vehicle (A) continued on a struck a large tree with its front end.

CASE VEHICLE (A): 1977 Ford F-150 Superch
 OTHER VEHICLE (B): _____
 THIRD VEHICLE (C): _____

G-4



NORTH



Duplicate columns 1-8 from the previous card. Module <u>0</u> <u>9</u> <u>V</u> <u>10</u> Format <u>0</u> <u>11</u> <u>4</u> <u>12</u>		OTHER VEHICLE OV-1	
MAKE: _____ MODEL: _____		CARGO: _____	
VIN _____			
MANUFAC/BODY CODE _____		VEHICLE TYPE	
MAKE/MODEL CODE _____		PASSENGER VEHICLE	
MODEL YEAR _____		(02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE (29) FULL	
VEHICLE MASS (kg) _____		MULTIPURPOSE PASSENGER VEHICLE	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER _____		(14) SMALL UTILITY (WHEELBASE LESS THAN 107", E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107", E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) _____		TRUCK	
TRAVELING SPEED (km/h) _____		(11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOXTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE		BUS	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN		(40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN	
WHEELBASE (cm) _____		(999) UNKNOWN	

Duplicate columns 1-8
from the previous card.

Module 0 9 V 10 Format 0 11 2 12

OTHER VEHICLE OV-2

ORIGINAL SPECIFICATIONS

Wheelbase _____ cm

Front Overhang _____ cm
22 _____ 24

Curb Weight _____ kg

Rear Overhang _____ cm
25 _____ 27

Average Track Width _____ cm
13 _____ 15

Undeformed End Width (UEW) _____ cm
28 _____ 30

Overall Length _____ cm
16 _____ 18

Engine Displacement _____ L
31 _____ 32

Overall Width (OAW) _____ cm
19 _____ 21

Engine: # of Cylinders _____
33 _____ 34

VEHICLE DAMAGE

FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more
Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL) _____ cm
35 _____ 37

Front-End Overlap (Percent) = $\frac{DDL}{UEW}$ _____ %
38 _____ 39

Vehicle Overlap (Percent) = $\frac{DDL + 1/2 (OAW - UEW)}{OAW}$ _____ %
40 _____ 41

VEHICLE DESCRIPTION VD-1

MAKE: Ford
MODEL: F150 Supercab 4x2

CARGO: _____

VIN 1 F T Z X 1 7 2 6 X [REDACTED]

MANUFAC/BODY CODE 1₃₀2112₃₄

MAKE/MODEL CODE 3108

MODEL YEAR 1999

VEHICLE MASS (kg) 0₄₃ 0 1 9 2 4₄₈

ODOMETER (km) 8 8 8 8 8 8
(ENTER 9'S IF UNKNOWN)
(ENTER 8'S IF ELECTRONIC) 49 54

NUMBER OF OCCUPANTS 01
(ENTER 9'S IF UNKNOWN) 56

TRAVELING SPEED (km/h) 9 9 8
59

(000) PARKED OR STOPPED
(995) JUST STARTING UP
(996) BACKING UP
(997) SPEED NOT EXCESSIVE (BUT UNKNOWN)
(998) SPEED EXCESSIVE (BUT UNKNOWN)
(999) UNKNOWN

VEHICLE TYPE

PASSENGER VEHICLE

- (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR)
(12) 2-DOOR SEDAN OR COUPE
(ANY UPPER B-PILLAR)
(13) 4-DOOR HARDTOP
(14) 4-DOOR SEDAN
(15) STATION WAGON
(16) CONVERTIBLE
(18) OTHER PASS. VEH. : _____
(19) PASSENGER VEHICLE, TYPE UNKNOWN

MULTIPURPOSE PASSENGER VEHICLE

- (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
(23) VAN, SIZE UNKNOWN
(24) VAN, SMALL (MINI)
(25) VAN, LARGE
(29) MPV, TYPE UNKNOWN
(30) MOTOR HOME

TRUCK

- (31) PICKUP TRUCK, UNKNOWN
(32) PICKUP TRUCK, SMALL (DOWNSIZED)
(33) PICKUP TRUCK, LARGE

(99) UNKNOWN

STOLEN VEHICLE

- (0) NO
(1) YES
(8) NOT COLLECTED
(9) UNKNOWN

BODY STRUCTURE

- (1) BODY & FRAME
- (2) UNITIZED
- (3) INTEGRAL-STUB FRAME
- (4) BODY & PLATFORM FRAME
(E.G. VW BUG)
- (5) PARTIALLY UNITIZED
- (7) OTHER: _____
- (9) UNKNOWN

TRANSMISSION

- (0) NONE
(1) AUTOMATIC
(2) MANUAL
(9) UNKNOWN

LOCATION OF TRANSMISSION SELECTOR LEVER

- (1) FLOOR
(2) CONSOLE
(3) COLUMN
(7) OTHER: _____
(9) UNKNOWN

STEERING

- (1) POWER
(2) MANUAL
(9) UNKNOWN

BRAKES

- (1) POWER
(2) MANUAL
(9) UNKNOWN

TYPE OF BRAKES

- (1) DRUM, ALL WHEELS
- (2) DISC, FRONT WHEELS
- (3) DISC, ALL WHEELS
- (9) UNKNOWN

2
68

BRAKE ANTI-LOCK DEVICE

- (0) NONE INSTALLED
- (1) TWO-WHEEL
- (2) FOUR-WHEEL
- (7) EQUIPPED, UNKNOWN WHEELS
- (9) UNKNOWN

1
69

AIR CONDITIONING IN VEHICLE

- (0) NO
- (1) YES
- (8) NOT COLLECTED
- (9) UNKNOWN

8
70

TYPE OF DRIVE

- (1) REAR WHEEL
- (2) FRONT WHEEL
- (3) FOUR WHEEL
- (4) ALL WHEEL DRIVE
- (9) UNKNOWN

1
71

DUAL REAR WHEELS

- (0) NO
- (1) YES
- (9) UNKNOWN

0
72

ORIGINAL TYPE OF RESTRAINT SYSTEM

- (1) ACTIVE BELT
- (2) PASSIVE BELT
- (3) AIRBAG
- (4) KNEE BOLSTERS
- (7) OTHER: _____
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

3
73

EQUIPPED WITH ROLL BAR

- (0) NO
- (1) YES
- (9) UNKNOWN

0
74

TYPE OF ROOF

- (0) NONE
- (1) SOLID
- (2) T-TOP CLOSED
- (3) T-TOP OPEN
- (4) SUN ROOF CLOSED
- (5) SUN ROOF OPEN
- (6) CONVERTIBLE CLOSED
- (7) CONVERTIBLE OPEN
- (8) OTHER: _____
- (9) UNKNOWN

1
75

WHEELBASE (cm)
(999) Unknown

352
76 77 78

PLASTIC ANTI-LACERATIVE
INNER LAYER GLASS EQUIPPED


- (0) NONE
- (1) WINDSHIELD
- (2) WINDSHIELD AND SIDE
- (7) OTHER
- (9) UNKNOWN

0
79

FIELD INVESTIGATOR INSTRUCTIONS:

1. INDICATE CRUSHED AREAS BY OUT-LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.
2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.
3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.
4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.

EXAMPLES:




Duplicate columns 1-8
from the previous card.Module V D Format 0 2
9 10 11 12

VEHICLE DESCRIPTION VD-3

ORIGINAL SPECIFICATIONS

Wheelbase	<u>352</u> cm	Front Overhang	<u>094</u> cm
Curb Weight	<u>1924</u> kg	Rear Overhang	<u>123</u> cm
Average Track Width	<u>999</u> cm	Undeformed End Width (UEW)	<u>176</u> cm
Overall Length	<u>569</u> cm	Engine Displacement	<u>4.2</u> L
Overall Width (OAW)	<u>199</u> cm	Engine: # of Cylinders	<u>06</u>

VEHICLE DAMAGE



FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more
Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL)

999 cm
35 37Front-End Overlap (Percent) = $\frac{DDL}{UEW}$ 99 %
38 39Vehicle Overlap (Percent) = $\frac{DDL + 1/2 (OAW - UEW)}{OAW}$ 99 %
40 41

Duplicate columns 1-8
from the previous card.

Module D A Format 0 2
9 10 11 12

DAMAGE DA-1

PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	3 13	
IMPACT SPEED (km/h)	999 14 15 16	998 35 36 37
ESTIMATED BY	1 17	8 38
CRUSH (cm)	115 18 19 20	998 39 40 41
CDC #1	12.FZEW.5 21 27	98.0000.0 42 48
CDC #2	98.0000.0 28 34	98.0000.0 49 55

Duplicate columns 1-8
from the previous card.

Module D A Format 0 3
9 10 11 12

SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1 13	
IMPACT SPEED (km/h)	999 14 15 16	998 35 36 37
ESTIMATED BY	1 17	8 38
CRUSH (cm)	003 18 19 20	998 39 40 41
CDC #1	12.RBMS.1 21 27	98.0000.0 42 48
CDC #2	98.0000.0 28 34	98.0000.0 49 55

CODES

EVENT NUMBER

- (8) NOT APPLICABLE
- (9) UNKNOWN

IMPACT SPEED

- (998) NOT APPLICABLE
- (999) UNKNOWN

IMPACT SPEED ESTIMATOR

- (1) INVESTIGATOR
- (2) DRIVER
- (3) POLICE
- (4) "CRASH" PROGRAM
- (5) OTHER COMPUTER PROGRAM
SPECIFY: _____
- (7) OTHER: _____
- (8) NOT APPLICABLE
(NO VEHICLE/NO IMPACT)

CRUSH

- (998) NOT APPLICABLE
(NO VEHICLE/DAMAGE)
- (999) UNKNOWN

CDC

- (9800000) NOT APPLICABLE
- (9900000) UNKNOWN

Duplicate columns 1-8
from the previous card.Module D A Format 0 1
9 10 11 12

DAMAGE DA-2

MAXIMUM SHEET METAL CRUSH

(cm) (999) UNKNOWN

FRONT 115
13 15RIGHT SIDE 003
16 18REAR 000
19 21LEFT SIDE 000
22 24ROOF 000
25 27OTHER 000
28 30CHRONOLOGICAL SEQUENCE
OF DAMAGE/INJURY PRODUCING CRASH EVENTS
FOR CASE VEHICLENOTE: IF CHRONOLOGICAL ORDER
IS UNKNOWN, EVENT
ORDER IS OPTIONAL.DO YOU KNOW THIS TABLE
TO BE IN CHRONOLOGICAL ORDER? 1
31(0) NO
(1) YES

EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	<u>4</u> 32	<u>47</u> 34	<u>77</u> 36
#2	<u>4</u> 37	<u>47</u> 39	<u>85</u> 41
#3	<u>4</u> 42	<u>17</u> 44	<u>77</u> 46
#4	— 47	— 49	— 51
#5	— 52	— 54	— 56
#6	— 57	— 59	— 61
#7	— 62	— 64	— 66

CODES FOR
IMPACT CONFIGURATIONFRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

- (99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- (00) NO OBJECT
- (01) - (39) PASSENGER VEHICLE & TRUCK
- (40) - (69) OTHER VEHICLE
- (70) - (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) - (97) OFF-ROADWAY OBJECT

- (98) OTHER (DESCRIBE)
- (99) UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZEWHEELBASE

SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")
LIMOUSINE	> 3175 mm (> 125")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP
- (14) SMALL UTILITY (WHEELBASE LESS THAN 107",
E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107",
E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

BUS

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 - 75 cc
- (52) 76 - 125 cc
- (53) 126 - 250 cc
- (54) 251 - 500 cc
- (55) 501 - 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING
ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM
OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE
MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION
- (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8
from the previous card.Module C R Format 0 1
9 10 11 12CRASH RECONSTRUCTION CR-1
for ΔV

	CASE VEHICLE PRIMARY IMPACT			CASE VEHICLE SECONDARY IMPACT		
	CASE VEHICLE	CONTACTED VEHICLE		CASE VEHICLE	CONTACTED VEHICLE	
EVENT NUMBER	<u>3</u> 13			<u>1</u> 47		
ΔV (km/h) TOTAL	<u>096</u> 14 15 16	<u>8 —</u> 32 33 34		<u>999</u> 48 49 50	<u>8 —</u> 66 67 68	
LONGITUDINAL*	<u>-096</u> 17 18 19 20	<u>8 —</u> 35 36 37 38		<u>9999</u> 51 52 53 54	<u>8 —</u> 69 70 71 72	
LATERAL*	<u>+000</u> 21 22 23 24	<u>8 —</u> 39 40 41 42		<u>9999</u> 55 56 57 58	<u>8 —</u> 73 74 75 76	
*NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN.						
EXAMPLES: 10 km/h = <u>+010</u> -7 km/h = <u>-007</u>						
ENERGY DISSIPATED BY CRUSH (kg)	<u>0717</u> 25 26 27 28	<u>8 —</u> 43 44 45 46		<u>9999</u> 59 60 61 62	<u>8 —</u> 77 78 79 80	
RECONSTRUCTION						
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>23</u> 29 30			<u>08</u> 63 64		
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL						
(22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL						
(23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL						
NOT RECONSTRUCTED BECAUSE						
(02) INSUFFICIENT DATA						
(03) EXCESSIVE UNDERRIDE/ OVERRIDE						
(04) ROLLOVER						
(05) VAULTING						
(06) OTHER TRAVEL IN MORE THAN ONE PLANE						
(07) NON-HORIZONTAL FORCE						
(08) SIDESWIPE-TYPE DAMAGE						
(09) YIELDING OBJECT						
(10) OTHER: _____						
(11) AT LEAST ONE VEHICLE BEYOND SCOPE						
(12) OTHER VEHICLE NOT INSPECTED						
MODE						
(1) CDC ONLY	<u>2</u> 31			<u>5</u> 65		
(2) CDC & DETAILED DAMAGE						
(3) TRAJECTORY & CDC						
(4) TRAJECTORY & CDC & DETAILED DAMAGE						
(5) NOT RECONSTRUCTED						
COMPUTER PROGRAM SPECIFY: _____						

Duplicate columns 1-8
from the previous card.

Module C R Format 0 2
9 10 11 12

CRASH RECONSTRUCTION CR-2
for EBS

	CASE VEHICLE PRIMARY IMPACT		CASE VEHICLE SECONDARY IMPACT	
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	<u>3</u> 13		<u>1</u> 47	
EBS (km/h) TOTAL	<u>096</u> 14 15 16	<u>8—</u> 32 33 34	<u>9—</u> 48 49 50	<u>8—</u> 66 67 68
LONGITUDINAL*	<u>-096</u> 17 20	<u>8—</u> 35 38	<u>9—</u> 51 54	<u>8—</u> 69 72
LATERAL*	<u>+000</u> 21 24	<u>8—</u> 39 42	<u>9—</u> 55 58	<u>8—</u> 73 76
* NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.				
EXAMPLES: 10 km/h = <u>+010</u> -7 km/h = <u>-007</u>				
ENERGY DISSIPATED BY CRUSH (kj)	<u>0717</u> 25 28	<u>8—</u> 43 46	<u>9—</u> 59 62	<u>8—</u> 77 80
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	<u>23</u> 29 30		<u>08</u> 63 64	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL				
(22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL				
(23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL				
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA				
(03) EXCESSIVE UNDERRIDE/ OVERRIDE				
(04) ROLLOVER				
(05) VAULTING				
(06) OTHER TRAVEL IN MORE THAN ONE PLANE				
(07) NON-HORIZONTAL FORCE				
(08) SIDESWIPE-TYPE DAMAGE				
(09) YIELDING OBJECT				
(10) OTHER: _____				
(11) AT LEAST ONE VEHICLE BEYOND SCOPE				
(12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY				
(2) CDC & DETAILED DAMAGE	<u>2</u> 31		<u>5</u> 65	
(3) TRAJECTORY & CDC				
(4) TRAJECTORY & CDC & DETAILED DAMAGE				
(5) NOT RECONSTRUCTED				
COMPUTER PROGRAM SPECIFY: _____				

Duplicate columns 1-8
from the previous card.Module C R Format 0 3
9 10 11 12

CRASH RECONSTRUCTION CR-3

NOTES:

1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.
3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
4. USE THE CENTER OF THE WHEELBASE AS THE CG.

CASE VEHICLE

LOCATOR



Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L
3	begins 22 cm inboard of RFBC	BC to BC

Stands set 470 cm
 fwd of rear axle;
 should be at 446, hence
 -24 cm stand adjustment

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other _____
- (9) Unknown



$$UEW = 176$$

DL _____

UDL _____

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

Specific Impact Number	Plane of Impact C-Measur.	Direct Damage		Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
		Length (DDL)	Max Crush								
3	1	62	140	76	23	130	136	140	141	145	+35
	less stand adjustment				-24	-24	-24	-24	-24	-24	
					0	106	112	116	117	121	
	less bumper tape				-26	-7	-1	-1	-7	-26	
3	1	062	115	076	000	099	111	115	110	095	+035
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
1	4	999	003	999	999	999	999	999	999	999	+999
1	4	999	003	999	999	999	999	999	999	999	+999

Duplicate columns 1-8
from the previous card.

Module C R Format 0 4
9 10 11 12

CRASH RECONSTRUCTION CR-4

- NOTES:
1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
 2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.
 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
 4. USE THE CENTER OF THE WHEELBASE AS THE CG.


OTHER VEHICLE
LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.

Location of Direct Damage

Location of Field L



DL _____

UDL _____

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other _____
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

Specific Impact Number	Plane of Impact C-Measur.	Direct Damage		Field L	C_1	C_2	C_3	C_4	C_5	C_6	$\pm D$
		Length (DDL)	Max Crush								
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8
from the previous card.

Module W T Format 0 1
9 10 11 12

WHEELS AND TIRES

WT-1

WHEELS--DAMAGED

- (0) NO
(1) YES
(9) UNKNOWN

LF 0
13RF 1RR 0LR 0
16

TIRE TREAD TYPE

- (1) REGULAR
(2) SNOW
(3) SLICKS
(4) ALL WEATHER (MS)
(7) OTHER: _____
(9) UNKNOWN

LF 4
17RF 4RR 4LR 4
20

CARCASS CONSTRUCTION

- (1) BIAS
(2) BELTED BIAS
(3) RADIAL
(4) ELLIPTICAL
(5) HI PRESSURE SPARE
(6) SPACE SAVER SPARE
(7) OTHER: _____
(9) UNKNOWN

LF 3
21RF 3RR 3LR 3
24

SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S)

LF P 2 3 5 7 0 R 1 6
25RF _____
35RR _____
45LR _____
55

BF Goodrich
Radial Long Trail T/A

IF VEHICLE IS EQUIPPED WITH DUAL
WHEELS, COMPLETE FOR OUTER WHEELS
AND MAKE NOTES ON INNER WHEELS.

NOTES: _____

Duplicate columns 1-8
from the previous card.

Module F T Format 0 1
9 10 11 12

FUEL AND FUEL TANKS FT-1

TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: _____ (9) UNKNOWN	<u>1</u> 13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u> 21
MAIN TANK LOCATION	<u>3 2 2</u> 14 16	AUXILIARY TANK LOCATION	<u>8 -</u> 22 24
MAIN FILLER CAP LOCATION	<u>3 1 3</u> 17 19	AUXILIARY FILLER CAP LOCATION	<u>8 -</u> 25 27
MAIN TANK MATERIAL	<u>1</u> 20	AUXILIARY TANK MATERIAL	<u>8</u> 28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8
from the previous card.

Module F L Format 0 1
9 10 11 12

FUEL LEAKAGE FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

0
13

(1) YES COMPLETE PAGE.

LEAK NUMBER	I LEAKING COMPONENT	II COMPONENT SOURCE	III TYPE OF DAMAGE	IV SEVERITY OF DAMAGE	V LOCATION OF LEAK	EVENT NUMBER
#1	<u> </u> <u> </u> 14 15	<u> </u>	<u> </u>	<u> </u>	<u> </u> <u> </u>	<u> </u> 21
#2	<u> </u> <u> </u> 22 23	<u> </u>	<u> </u>	<u> </u>	<u> </u> <u> </u>	<u> </u> 29
#3	<u> </u> <u> </u> 30 31	<u> </u>	<u> </u>	<u> </u>	<u> </u> <u> </u>	<u> </u> 37
#4	<u> </u> <u> </u> 38 39	<u> </u>	<u> </u>	<u> </u>	<u> </u> <u> </u>	<u> </u> 45
#5	<u> </u> <u> </u> 46 47	<u> </u>	<u> </u>	<u> </u>	<u> </u> <u> </u>	<u> </u> 53

I LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8
from the previous card.

Module F R Format 0 1
9 10 11 12

FIRE FR-1

WAS THERE FIRE IN OR ON CASE VEHICLE?

(0) NO SKIP PAGE.



13

(1) YES COMPLETE PAGE.

DID FIRE START IN CASE VEHICLE?

- (0) NO
- (1) YES
- (9) UNKNOWN

14

SEVERITY OF FIRE DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (9) UNKNOWN

16

FLAME PROPOGATION RATE

- (1) RAPID/EXPLOSIVE
- (2) SLOW/MODERATE
- (9) UNKNOWN

15

DID AN INJURY TO CASE
VEHICLE OCCUPANT RESULT FROM
FIRE IN OR ON CASE VEHICLE?

- (0) NO
- (1) YES
- (9) UNKNOWN

17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card. Module <u>E</u> <u>D</u> Format <u>0</u> <u>1</u> 9 10 11 12		EXTERIOR DAMAGE		ED-1	
HOOD PERFORMANCE FOR THE FOLLOWING, USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> HOOD LATCH(ES)- </div> <div style="width: 45%;"> -RELEASED -DAMAGED -JAMMED </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div style="width: 45%;"> HOOD HINGES- </div> <div style="width: 45%;"> -LEFT, DAMAGED -LEFT, SEPARATED (COMPLETE) -RIGHT, DAMAGED -RIGHT, SEPARATED (COMPLETE) </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div style="width: 45%;"> HOOD REMAINED ON VEHICLE </div> <div style="width: 45%;"></div> </div> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div style="width: 45%;"> REAR EDGE OF HOOD- </div> <div style="width: 45%;"> -ELEVATED -CONTACTED WINDSHIELD -PENETRATED WINDSHIELD </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <div style="width: 45%;"> HOOD LATCH LOCATION (1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN </div> <div style="width: 45%;"></div> </div>		<div style="margin-bottom: 10px;"> 13 </div> <div style="margin-bottom: 10px;"> 14 </div> <div style="margin-bottom: 10px;"> 15 </div> <div style="margin-bottom: 10px;"> 16 </div> <div style="margin-bottom: 10px;"> 17 </div> <div style="margin-bottom: 10px;"> 18 </div> <div style="margin-bottom: 10px;"> 19 </div> <div style="margin-bottom: 10px;"> 20 </div> <div style="margin-bottom: 10px;"> 21 </div> <div style="margin-bottom: 10px;"> 22 </div> <div style="margin-bottom: 10px;"> 23 </div> <div style="margin-bottom: 10px;"> 24 </div>	STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE (0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OTHER: _____ (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> COUPLING- (USE CODES FROM HOOD PERFORMANCE) </div> <div style="width: 45%;"> -DAMAGED -SEPARATED (COMPLETE) </div> </div>		<div style="margin-bottom: 20px;"> $\frac{9}{26}$ </div> <div style="margin-bottom: 20px;"> $\frac{9}{27}$ </div> <div style="margin-bottom: 20px;"> $\frac{9}{28}$ </div>
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN		<div style="margin-bottom: 10px;"> 25 </div>	ENG COMPART TELESCOPING UNIT TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED (97) OTHER: _____ (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED ORIGINAL LENGTH (mm) F (OR H): _____ TELOSEPED LENGTH (mm) G: _____ DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER "000".) (888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN		<div style="margin-bottom: 20px;"> $\frac{8}{29}$ </div> <div style="margin-bottom: 20px;"> $\frac{8}{30}$ </div> <div style="margin-bottom: 20px;"> $\frac{8}{31}$ </div> <div style="margin-bottom: 20px;"> $\frac{8}{33}$ </div>

LEFT-SIDE BODY MOUNT

DID BODY MOUNT SEPARATE?

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (9) UNKNOWN

0
 34

LEFT PILLARS

PILLARS SEPARATED COMPLETELY -

USE CODES:

- (0) NO
 (1) YES
 (4) NO SEPARATION, BUT DAMAGED
 (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

-A-PILLAR, UPPER

4
 35

LOWER

4
 36

-B-PILLAR, UPPER

8
 37

LOWER

8
 38

-C-PILLAR, UPPER

0
 39

LOWER

0
 40

-D-PILLAR, UPPER

8
 41

LOWER

8
 42

LEFT DOORS

HOW DID DOORS
OPEN DURING COLLISION?

USE CODES:

(0) DOOR DID NOT OPEN

OPENED BECAUSE OF

- (1) HINGE AREA SEPARATION
 (2) DOOR-LATCH SEPARATION
 (3) LATCH-STRIKER SEPARATION
 (4) STRIKER-PILLAR SEPARATION
 (5) BODY DISTORTION
 (6) COMBINATION OF ABOVE
 (CIRCLE EACH)
 (7) OPENED, REASON UNKNOWN
 (8) NOT APPLICABLE (NO DOOR)
 (9) UNKNOWN

-FRONT

0
 43

-REAR

0
 44

DOORS JAMMED CLOSED-

USE CODES:

- (0) NO
 (1) YES
 (8) NOT APPLICABLE (NO DOOR)
 (9) UNKNOWN

-FRONT

0
 45

-REAR

0
 46

EXTERIOR DAMAGE

ED-3

REAR DOOR

REAR DOOR TYPE

- (0) NO DOOR (INCLUDES PICKUPS)
- (1) HATCHBACK
- (2) ONE-WAY TAILGATE
- (3) TWO-WAY TAILGATE
- (4) CLAMSHELL/DISAPPEARING TAILGATE
- (5) SINGLE DOOR
- (6) DOUBLE DOOR
- (9) UNKNOWN

Hatchback



One-way



Two-way



or



Clamshell



Single door



Double door

HOW DID DOOR
OPEN DURING COLLISION?

- (0) DOOR DID NOT OPEN

OPENED BECAUSE OF

- (1) HINGE AREA SEPARATION
- (2) DOOR-LATCH SEPARATION
- (3) LATCH-STRIKER SEPARATION
- (4) STRIKER-PILLAR SEPARATION
- (5) BODY DISTORTION
- (6) COMBINATION OF ABOVE
(CIRCLE EACH)
- (7) OPENED, REASON UNKNOWN
- (8) NOT APPLICABLE (NO DOOR)
- (9) UNKNOWN

DOOR JAMMED CLOSED

- (0) NO
- (1) YES
- (8) NOT APPLICABLE (NO DOOR)
- (9) UNKNOWN

0
47

8
48

8
49

OTHER REAR DAMAGE

WAS PARTITION TO LUGGAGE AREA
DAMAGED DURING COLLISION?

- (0) NO
- (1) YES
- (8) NOT APPLICABLE
- (9) UNKNOWN

8
50

SPARE TIRE

- (0) NO SPARE TIRE
- (1) NOT ATTACHED BEFORE COLLISION
- (2) ATTACHED, NOT SEPARATED IN COLLISION
- (3) ATTACHED, SEPARATED DUE TO COLLISION
- (8) NOT COLLECTED
- (9) UNKNOWN

8
51

TRAILER HITCH TYPE

- (0) NO HITCH

BALL-AND-SOCKET TYPES

- (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON)
- (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK)
- (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING)
- (4) LOAD EQUALIZING

OTHER TYPES

- (5) RING-AND-PINTLE
- (6) FIFTH-WHEEL (INCL P/U)
- (7) OTHER (E.G. CLEVIS-AND-PIN)

- (8) EQUIPPED, TYPE UNKNOWN
- (9) UNKNOWN IF EQUIPPED

0
52

TRAILER TYPE
(AT TIME OF COLLISION)

- (0) NO TRAILER
- (1) TRAVEL-TRAILER/CAMPER
- (2) MOBILE HOME
- (3) BOAT/SNOWMOBILE/ATV TRAILER
- (4) UTILITY TRAILER
- (5) TOWED CAR
- (7) OTHER: _____
- (8) TRAILER, TYPE UNKNOWN
- (9) UNKNOWN

0
53

RIGHT-SIDE BODY MOUNT

DID BODY MOUNT SEPARATE?

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (9) UNKNOWN

0
 54

RIGHT PILLARS

PILLARS SEPARATED COMPLETELY -

USE CODES:

- (0) NO
 (1) YES
 (4) NO SEPARATION, BUT DAMAGED
 (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

-A-PILLAR, UPPER

4
 55

LOWER

4
 56

-B-PILLAR, UPPER

8
 57

LOWER

8
 58

-C-PILLAR, UPPER

0
 59

LOWER

4
 60

-D-PILLAR, UPPER

8
 61

LOWER

8
 62

RIGHT DOORS

HOW DID DOORS
OPEN DURING COLLISION?

USE CODES:

(00) DOOR DID NOT OPEN

OPENED BECAUSE OF

- (01) HINGE AREA SEPARATION
 (02) DOOR-LATCH SEPARATION
 (03) LATCH-STRIKER SEPARATION
 (04) STRIKER-PILLAR SEPARATION
 (05) BODY DISTORTION
 (06) COMBINATION OF ABOVE
 (CIRCLE EACH)
 (07) OPENED, REASON UNKNOWN
 (11) VAN RIGHT-REAR DOOR OPENED
 (ANY MECHANISM)

(98) NOT APPLICABLE (NO DOOR)

(99) UNKNOWN

-FRONT

00
 63 64

-REAR

00
 65 66

DOORS JAMMED CLOSED-

USE CODES:

- (0) NO
 (1) YES
 (8) NOT APPLICABLE (NO DOOR)
 (9) UNKNOWN

-FRONT

1
 67

-REAR

1
 68

VAN REAR DOOR TYPE

- (0) VAN, NO REAR DOOR
 (1) TRACK (SLIDING) - RIGHT SIDE
 (2) SINGLE-HINGED - RIGHT SIDE
 (3) DOUBLE-HINGED - RIGHT SIDE
 (4) TRACK (SLIDING) - RIGHT & LEFT SIDE
 (5) SINGLE-HINGED - RIGHT & LEFT SIDE
 (6) DOUBLE-HINGED - RIGHT & LEFT SIDE
 (7) TRACK AND HINGED COMBINATION
 (8) NOT APPLICABLE (NOT A VAN)
 (9) UNKNOWN

8
 69

EXTERIOR DAMAGE

ED-5

WINDSHIELD DAMAGE

WINDSHIELD CRACKED

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (9) UNKNOWN

1
 70

WINDSHIELD BROKEN
(PLASTIC INTERLAYER TORN)

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (9) UNKNOWN

1
 71

CRACKED OR BROKEN
BY OCCUPANT CONTACT

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (9) UNKNOWN

0
 72

EXTENT OF BOND SEPARATION

- (0) NONE
 (1) 1 - 20%
 (2) 21 - 40
 (3) 41 - 60
 (4) 61 - 80
 (5) 81 - 99
 (6) TOTAL
 (7) SEPARATED, AMOUNT
 UNKNOWN
 (8) NOT APPLICABLE
 (9) UNKNOWN

0
 73

WINDSHIELD MARK ON CASE VEHICLE:

unable to read

WINDSHIELD CODE

- (97) DESCRIBED BUT NOT CODED
 (98) NOT APPLICABLE (NO WINDSHIELD)
 (99) UNKNOWN

99
 74 75

Roof


DID T-ROOF/SUN ROOF OPEN
DURING COLLISION?

- (0) NO
 (1) YES
 (8) NOT APPLICABLE
 (NOT A T-ROOF OR SUN ROOF)
 (9) UNKNOWN

8
 76

LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM INSIDE.

85 cm slit near top edge



 L

 C

 R

STEERING WHEEL

STEERING WHEEL RIM DAMAGE

- (0) NONE
- (1) DEFORMED SLIGHTLY
- (2) SEVERELY BENT
- (3) BROKEN
- (9) UNKNOWN

0
13

NUMBER OF STEERING WHEEL SPOKES

- (9) UNKNOWN

2
14

STEERING WHL SPOKE DAMAGE

- (0) NONE
- (1) DEFORMED SLIGHTLY
- (2) SEVERELY BENT
- (3) BROKEN
- (9) UNKNOWN

0
15

STEERING WHEEL POSITION AT TIME OF COLLISION

IN WHAT O'CLOCK POSITION WAS THE
NORMAL TOP OF THE WHEEL POINTED
WHEN THE COLLISION OCCURRED?

EXAMPLES

O'CLOCK = 1 2



(NORMAL STRAIGHT
AHEAD)

O'CLOCK = 0 2



O'CLOCK = 99

(99) UNKNOWN


STEERING WHEEL ENERGY ABSORBING DEVICE

(1) EXAMPLES:



BARRACUDA, 70 - 74
CHALLENGER, 70 - 74
CAPRI, 71 - 77

(2) EXAMPLES:



OMNI, 78 -
HORIZON, 78 -

STEERING COLUMN OPTIONS

TILT FEATURE

- (0) NOT EQUIPPED
- (1) YES, EQUIPPED, UNK POSITION
- (2) UP
- (3) MIDDLE
- (4) LOWER
- (9) UNKNOWN IF EQUIPPED

3
16

SWING-AWAY FEATURE

- (0) NOT EQUIPPED
- (1) YES, EQUIPPED
- (9) UNKNOWN IF EQUIPPED

0
17

TELESCOPING FEATURE

- (0) NOT EQUIPPED
- (1) YES, EQUIPPED
- (9) UNKNOWN IF EQUIPPED

0
18

TYPE OF DEVICE

- (0) NONE
- (1) CONVOLUTED OR MESH CYLINDER
- (2) DEEP DISH STEERING WHEEL
- (7) OTHER: _____
- (8) NOT COLLECTED
- (9) UNKNOWN IF EQUIPPED

8
19

ORIGINAL DIMENSION (mm)

A: _____

DAMAGE DIMENSION (mm)

B: _____

DIFFERENCE (mm)

A - B

- (888) NOT COLLECTED
- (991) NOT MEASURED/NO APPARENT
COMPRESSION
- (992) COMPRESSED, AMOUNT UNKNOWN
- (993) DEVICE EXTENDED
- (997) UNABLE TO MEASURE
- (998) NOT APPLICABLE (NOT EQUIPPED)
- (999) UNKNOWN

8 8 8
20 22

STEERING WHEEL AND COLUMN SC-2

STEERING COLUMN
ENERGY ABSORBING DEVICE

TYPE OF DEVICE * (IF 27 OR 28)

- (00) NOT EQUIPPED
(88) NOT COLLECTED
(99) UNKNOWN

8 8
23 24

ORIGINAL LENGTH (mm)

C: _____

COMPRESSED LENGTH (mm)

D: _____

BRACKET DEFLECTION (IF CODE 36, 48,
OR 49 ABOVE)

OR

COMPRESSION (OR EXTRUSION) (mm)

C - D (OR E) (TOLERANCE: ± 10)

- (888) NOT COLLECTED
(991) NOT MEASURED/NO APPARENT
COMPRESSION
(992) COMPRESSED, AMOUNT UNKNOWN
(993) DEVICE EXTENDED
(997) UNABLE TO BE MEASURED
(998) NOT APPLICABLE (NOT EQUIPPED)
(999) UNKNOWN


8 8 8
25 27

* (ADD A & B FOR TOTAL COMPRESSION)

SHEAR CAPSULE SEPARATION (mm)

S (USE AVG. OF LEFT & RIGHT CAPSULES.)

LT:



RT:

- (888) NOT COLLECTED
(991) NOT MEASURED/NO APPARENT
SEPARATION
(992) SEPARATED, AMOUNT UNKNOWN
(997) UNABLE TO BE MEASURED
(998) NOT APPLICABLE (NOT EQUIPPED)
(999) UNKNOWN

8 8 8
28 30

COLUMN VERTICAL ROTATION

- (0) NO APPARENT ROTATION
(1) UPWARD APPARENT ROTATION
(2) DOWNWARD APPARENT ROTATION
(9) UNKNOWN

0
31

COLUMN LATERAL ROTATION

- (0) NO APPARENT ROTATION
(1) LEFT APPARENT ROTATION
(2) RIGHT APPARENT ROTATION
(9) UNKNOWN

1
32

STEERING WHEEL (CONTINUED)

STEERING WHEEL HUB DAMAGE

- (0) NONE
(1) OCCUPANT CONTACT
(2) AIRBAG
(3) OTHER _____
(9) UNKNOWN

0
33

INTRUSION IT-1



INTRUSION IT-1					
Location of Intrusion	Intruded Component	(All Measurements Are in Centimeters)			Dominant Crush Direction
		Comparison Value	Intruded Value	Intrusion	
Reference stands set at 220 cm fwd of Rear axle					
11	Inst. Panel	36	19	17	longitudinal
	toepen @ R knee	86	54	32	"
	toepen @ L knee	86	78	8	"
12	Inst. panel	36	19	17	"
	toepen	64	26	38	"
13	Instr. panel	36	19	17	"
	toepen	86	39	47	"

OCCUPANT CONTACT WORKSHEET


Contact	Interior Component Contacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	knee bolster	1	L knee	scuff / cloth transfer	1
B	knee bolster	1	R knee	scuff / cloth transfer	1
C	L air vent	1		skin transfer / scuff	1
D	R air vent	1		cloth-type transfer	3
E	visor / roof	1		scuff	3
F	center console	1		scuff	2
G	2nd seat, seat cushion	1		blood transfer / known FRP of 3R	1
H	Airbag	1		scuff	1
I	L armrest of 2nd seat	1		scuff	2
J	L seatback of 2nd seat	1		scuff	2

VEHICLE OCCUPANT CONTACT DIAGRAM

Occupant/driver's known FRP is
 feet on floor (LF area), torso laying
 across center console and head/shoulders
 laying on RR seat



H = airbag



INTRUSION IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

- (1) LEFT (3) RIGHT INDIVIDUAL SEAT
- (1) LEFT (2) CENTER (3) RIGHT BENCH: FULL WIDTH 3 PASSENGER
- (1) LEFT (2) LEFT CENTER (6) RIGHT CENTER (3) RIGHT BENCH: FULL WIDTH 4 PASSENGER
- (1) LEFT (2) CENTER (5) RIGHT & BENCH: PARTIAL WIDTH, LEFT AISLE SPACE
- (0) LEFT & SPACE (2) CENTER (5) RIGHT & SPACE BENCH: PARTIAL WIDTH, CENTERED
- (4) ENTIRE VEHICLE WIDTH CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR
5 PASSENGERS

X	X	11	13
X	X	21	22 23

VAN
12 PASSENGER CAPACITY

X	X	11	13
X	X	X	21 22 25
X	X	X	31 32 35
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X	X
X	X	X</	

CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
(Y) Y-AXIS (LATERAL)
(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT NUMBER	INJURY NUMBER	<u>CONTACT</u>
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/
SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE
SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE
SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE
SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE
SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (*DESCRIBE*)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER
COMPARTMENT BUT PART
OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (*E.G. SPARE TIRE,
JACK. DESCRIBE.*)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

*USE ONLY IF ALL THESE COMPONENTS
INTRUDED INTO A SINGLE OCCUPANT SPACE.*

- | | |
|------------------------|-------------------------|
| (50) WINDSHIELD HEADER | (60) ROOF |
| A-PILLAR | ROOF RAIL |
| ROOF SIDE RAIL | A-PILLAR |
| | B-PILLAR |
| (51) INSTRUMENT PANEL | C-PILLAR |
| A-PILLAR | WINDOW FRAME |
| DOOR PANEL | DOOR PANEL |
| | FLOOR PAN |
| (52) INSTRUMENT PANEL | (61) INSTRUMENT PANEL |
| A-PILLAR | TOE PAN |
| WINDSHIELD HEADER | WINDSHIELD HEADER |
| | A-PILLAR |
| (53) DOOR PANEL | ROOF RAIL |
| B-PILLAR | WINDOW FRAME |
| ROOF RAIL | DOOR PANEL |
| | ROOF |
| (54) DOOR PANEL | (62) ROOF |
| A-PILLAR | ROOF RAIL |
| ROOF RAIL | C-PILLAR |
| | WINDOW FRAME |
| (55) INSTRUMENT PANEL | FLOOR PAN |
| FLOOR PAN | SECOND SEAT |
| A-PILLAR | DOOR PANEL |
| DOOR FRAME | |
| (56) ROOF RAIL | (63) ROOF RAIL |
| A-PILLAR | ROOF |
| B-PILLAR | B-PILLAR |
| WINDOW FRAME | WINDOW FRAME |
| | FLOOR PAN |
| (57) ROOF RAIL | DOOR PANEL |
| A-PILLAR | SECOND SEAT |
| B-PILLAR | FRONT SEAT |
| C-PILLAR | |
| DOOR PANEL | (64) ROOF RAIL |
| | ROOF OR CONVERTIBLE TOP |
| (58) ROOF | A-PILLAR |
| ROOF RAIL | B-PILLAR |
| WINDOW FRAME | WINDOW FRAME |
| DOOR PANEL | WINDOW HEADER |
| (59) BACKLIGHT HEADER | (65) WINDSHIELD |
| ROOF | WINDSHIELD HEADER |
| C-PILLAR | ROOF SIDE RAIL |
| THIRD SEAT-BACK | |
| | (66) WINDSHIELD |
| | WINDSHIELD HEADER |
| | A-PILLAR |
| | |
| | (98) NOT APPLICABLE |
| | (99) UNKNOWN |

Duplicate columns 1-8
from the previous card.

Module 1 T Format 0 1
9 10 11 12

INTRUSION IT-5

WAS THERE OCCUPANT COMPARTMENT INTRUSION? 1
13

WAS INTRUSION CATASTROPHIC? 0
14

- (0) NO DO NOT ANSWER NEXT QUESTION. SKIP PAGE.
(1) YES ANSWER NEXT QUESTION.
(9) UNKNOWN SKIP PAGE.

- (0) NO COMPLETE PAGE.
(1) YES SKIP PAGE.

Duplicate columns 1-8
from the previous card.

Module 1 T Format 0 2
9 10 11 12

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.
CODES FOR B, F, G, H, I, J ON PAGE IT-3
CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A	B	C	D	E	F	G	H	I	J	K
INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.	MAXIMUM INTRUSION X AXIS (cm)	MAXIMUM INTRUSION Y AXIS (cm)	MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>0 1</u>	<u>11</u>	<u>01</u>	<u>3</u>	<u>17</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 2</u>	<u>11</u>	<u>03</u>	<u>3</u>	<u>32</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 3</u>	<u>12</u>	<u>01</u>	<u>3</u>	<u>17</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 4</u>	<u>12</u>	<u>03</u>	<u>3</u>	<u>38</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 5</u>	<u>13</u>	<u>01</u>	<u>3</u>	<u>17</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 6</u>	<u>13</u>	<u>03</u>	<u>3</u>	<u>47</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>	<u>00</u>
<u>0 7</u>	—	—	—	—	—	—	—	—	—	—

NOTE: USE ADDITIONAL PAGE IF MORE THAN 7 INTRUSIONS.

Duplicate columns 1-8
from the previous card.

Module 1 T Format 0 3
9 10 11 12

NOTE: IF NO SIDE DOOR INTRUSION,
SKIP REMAINDER OF PAGE.

SIDE DOOR INTRUSION
RESULTED FROM

INTRUSION
NUMBER CAUSE

CODES
FOR CAUSE:

13 — 15 (1) DIRECT
IMPACT
16 — 18 (2) INDUCED
DAMAGE
19 — 21 (9) UNKNOWN

IF DAMAGE TO DOOR COMPONENT RESULTED IN INCREASED
DOOR INTRUSION, CODE COMPONENT

INTRUSION
NUMBER

DAMAGED
COMPONENT 1

DAMAGED
COMPONENT 2

CODES
FOR COMPONENTS

A — —
22 23

B — —
26 27

C — —
30 31

D — —
34 35

25

29

33

37

- (0) NONE
(1) A-PILLAR
(2) B-PILLAR
(3) C-PILLAR
(4) LATCH/STRIKER
(5) HINGES
(7) OTHER: —
(8) NOT APPLICABLE
(9) UNKNOWN

Duplicate columns 1-8
from the previous card.

Module 1 T Format 0 2
9 10 11 12

INTRUSION IT-6

NOTE: Each line in the table below is a separate record (card).
Duplicate columns 1 - 12 for each completed line.

-- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.
CODES FOR B, F, G, H, I, J ON PAGE IT-3
CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A	B	C	D	E	F	G	H	I	J	K
INTRUSION NUMBER	OCC. SPACE NO.	INTRUDING COMPONENT OR OBJECT	ASSOC. EVENT NO.	MAXIMUM INTRUSION X AXIS (cm)	MAXIMUM INTRUSION Y AXIS (cm)	MAXIMUM INTRUSION Z AXIS (cm)	OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>0 8</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>0 9</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 0</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 1</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 2</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 3</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 4</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 5</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 6</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 7</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 8</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>1 9</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 0</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 1</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 2</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 3</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 4</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —
<u>2 5</u>	— —	— —	—	— —	— —	— —	— —	— —	— —	— —

Duplicate columns 1-8
from the previous card.

Module 1 D Format 0 1
9 10 11 12

INTERIOR DAMAGE

ID-1

CODES:

- (0) NO
(1) YES
(3) NO, and OCCUPANT CONTACT

- (4) YES, and OCCUPANT CONTACT
(8) NOT APPLICABLE
(9) UNKNOWN

	LEFT	RIGHT				
SIDES			FRONT		INSTRUMENT PANEL	
FRONT DOOR	<u>1</u> 13	<u>1</u> 14	FOOT CONTROLS	<u>1</u> 45	UPPER PANEL	<u>1</u> 55
FRONT HARDWARE	<u>1</u> 15	<u>0</u> 16	IGNITION KEYS	<u>0</u> 46	MID PANEL	<u>4</u> 56
FRONT ARMREST	<u>0</u> 17	<u>0</u> 18	REAR VIEW MIRROR	<u>1</u> 47	LOWER PANEL	<u>4</u> 57
FRONT GLASS	<u>0</u> 19	<u>1</u> 20	SUNVISOR/FITTINGS	<u>3</u> 48	ASHTRAY	<u>0</u> 58
REAR DOOR AREA	<u>0</u> 21	<u>0</u> 22	(5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES		CONTROL KNOBS & LEVERS	<u>0</u> 59
REAR HARDWARE	<u>0</u> 23	<u>0</u> 24	WINDSHIELD TOP MOLDINGS	<u>0</u> 49	GLOVE COMPARTMENT AREA	<u>1</u> 60
REAR ARMREST	<u>0</u> 25	<u>0</u> 26	LEFT A-PILLAR (UPPER OR LOWER)	<u>1</u> 50	INSTRUMENTS	<u>0</u> 61
REAR GLASS	<u>0</u> 27	<u>0</u> 28	RIGHT A-PILLAR (UPPER OR LOWER)	<u>1</u> 51	PARKING BRAKE RELEASE	<u>0</u> 62
ROOF SIDE RAIL	<u>0</u> 29	<u>1</u> 30	CENTER CONSOLE	<u>3</u> 52	PARKING BRAKE PEDAL	<u>0</u> 63
B-PILLAR	<u>0</u> 31	<u>1</u> 32	TRANSMISSION SELECTOR LEVER	<u>1</u> 53	A/C OR UPPER VENT OUTLETS	<u>4</u> 64
C-PILLAR	<u>0</u> 33	<u>1</u> 34	RIM, HORN, SPOKE	<u>3</u> 54	HEATER OR A/C DUCTS	<u>1</u> 65
D-PILLAR	<u>0</u> 35	<u>0</u> 36			RADIO	<u>0</u> 66
HEADLINING	<u>0</u> 37	<u>1</u> 38			OTHER: * _____	<u>8</u> 67
ROOF STRUCTURE	<u>0</u> 39	<u>1</u> 40				
T-ROOF/SUN ROOF	<u>0</u> 41	<u>1</u> 42				
OTHER: * _____	<u>0</u> 43	<u>1</u> 44				
					REAR	
					WINDOW	<u>0</u> 68
					WINDOW HEADER	<u>0</u> 69
					CONSOLES	
					VERTICAL	<u>0</u> 70
					ROOF	<u>0</u> 71

* MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 from the previous card.		Module <u>S</u> <u>T</u> Format <u>0</u> <u>2</u> 9 10 11 12		SEATS		ST-1	
FRONT SEAT		DRIVER	PASSENR	FRONT SEAT-BACK		DRIVER	PASSENR
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: _____ (99) UNKNOWN		<u>05</u> 13 14	<u>05</u> 15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>3</u> 30	<u>3</u> 31
TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 17	<u>1</u> 18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 32	<u>1</u> 33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>0</u> 19	<u>0</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 34	<u>1</u> 35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 21	<u>1</u> 22	RECLINER MECHANISM HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 36	<u>1</u> 37
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>8</u> 23	<u>8</u> 24				
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 25	<u>3</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>2</u> 38	<u>2</u> 39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED		<u>1</u> 27		REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		<u>8</u> 40	<u>8</u> 41
FRONT SEAT ROTATION (0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>9</u> 28	<u>9</u> 29	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN		<u>8</u> 42	<u>8</u> 43
				HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN		<u>0</u> 44	<u>0</u> 45

FRONT SEAT ADJUSTMENT		DRIVER	PASSENGER	SECOND SEAT (CONT.)	
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: _____ (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN		<u>1</u> 46	<u>1</u> 47	CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	
ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>1</u> 48	<u>1</u> 49	SECOND SEAT-BACK LOCKS FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: _____ (8) NOT APPLICABLE (9) UNKNOWN		<u>2</u> 50	<u>2</u> 51	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED RIGHT, HELD (3) SEAT FOLDED DOWN	LEFT <u>8</u> 61 <u>8</u> 63 <u>8</u> 65 <u>8</u> 67 RIGHT <u>8</u> 62 <u>8</u> 64 <u>8</u> 66 <u>8</u> 68
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN		<u>0</u> 52	<u>0</u> 53	THIRD SEAT EQUIPPED BACKREST DAMAGED CUSHION DAMAGED	
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN		<u>2</u> 54	<u>2</u> 55	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN <i>Applies to any rear-seat position</i>	
SECOND SEAT TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN		LEFT <u>1</u> 56	RIGHT <u>1</u> 57	<u>0</u> 69 <u>8</u> 71 <u>8</u> 73	<u>0</u> 70 <u>8</u> 72 <u>8</u> 74
SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN		<u>2</u> 58	<u>2</u> 59		


Duplicate columns 1-8
from the previous card.Module A B Format 0 1
9 10 11 12

AIRBAG AB-1

<p>DRIVER SIDE</p> <p>LOCATION OF AIRBAG</p> <p>STEERING WHEEL</p> <p>EQUIPPED</p> <p>(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED</p> <p>DEPLOYED</p> <p>(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN</p>	<p><u>1</u> 13</p> <p><u>1</u> 14</p>	<p>PASSENGER SIDE</p> <p>LOCATION OF AIRBAG</p> <p>INSTRUMENT PANEL (GLOVE BOX)</p> <p>EQUIPPED</p> <p>(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED</p> <p>DEPLOYED</p> <p>(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN</p>	<p><u>1</u> 16</p> <p><u>1</u> 17</p>
<p>CONDITION OF AIRBAG</p> <p>STEERING WHEEL</p> <p>(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) <u>BURNED/MELTED</u> <i>slightly at vent</i> (5) CUT POST CRASH (6) OTHER _____ (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION</p>	<p><u>4</u> 15</p>	<p>CONDITION OF AIRBAG</p> <p>INSTRUMENT PANEL (GLOVE BOX)</p> <p>(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER _____ (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION</p>	<p><u>0</u> 18</p>
<p>DRIVER SIDE</p> <p>AIRBAG</p> <p>STEERING WHEEL</p> <p>TETHER <i>2 tethers</i></p> <p>(0) NO (1) YES (6) OTHER _____ (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED</p> <p>MARKED BY CONTACT <i>2 vents</i></p> <p>(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN</p>	<p><u>1</u> 19</p> <p><u>1</u> 20</p>	<p>PASSENGER SIDE</p> <p>AIRBAG</p> <p>INSTRUMENT PANEL (GLOVE BOX)</p> <p>TETHER <i>no tethers no vents</i></p> <p>(0) NO (1) YES (6) OTHER _____ (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED</p> <p>MARKED BY CONTACT</p> <p>(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN</p>	<p><u>0</u> 21</p> <p><u>0</u> 22</p>


AIRBAG NUMBER ON DRIVER SIDE:

NOTE AND DESCRIBE ANY AIRBAG CONTACT OR
DAMAGE ON DIAGRAM BELOW:



AIRBAG NUMBER ON PASSENGER SIDE:

NOTE AND DESCRIBE ANY AIRBAG CONTACT OR
DAMAGE ON DIAGRAM BELOW:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8
from the previous card.

Module 0 C Format 0 2
9 10 11 12

OCCUPANT INFORMATION OC-1

OCCUPANT IDENTIFICATION

OCCUPANT NUMBER

01
13 14

ROLE OF OCCUPANT AT 1ST IMPACT

- (1) MOTOR VEHICLE DRIVER
- (2) MOTOR VEHICLE PASSENGER
(NOT DRIVER)
- (9) UNKNOWN

1
15

PHYSICAL DESCRIPTION

AGE IN YEARS

- (00) LESS THAN 1 YEAR
- (98) 98 YEARS OR OLDER
- (99) UNKNOWN

22
20 21

AGE IN MONTHS

- (00) LESS THAN 1 MONTH
- (25) 25 MONTHS OR OLDER
- (99) UNKNOWN

25
22 23

MASS (kg)

- (999) UNKNOWN

057
24 25 26

HEIGHT (cm)

- (999) UNKNOWN

165
27 28 29

SEX

- (1) MALE
- (2) FEMALE
- (9) UNKNOWN

1
30

OCCUPANT POSITION

ROW LOCATION

- (1) FRONT
- (2) SECOND
- (3) THIRD
- (4) FOURTH
- (7) OTHER: _____
- (8) EXTERNAL TO PASSENGER
COMPARTMENT (E.G. BED OF PICKUP)
- (9) UNKNOWN

1
16

LATERAL LOCATION

- (1) LEFT
- (2) LEFT CENTER
- (3) CENTER
- (4) RIGHT CENTER
- (5) RIGHT
- (6) ALL (LYING ON SEAT)
- (8) EXTERNAL TO PASSENGER
COMPARTMENT
- (9) UNKNOWN

1
17

POSTURE

- (10) SITTING ON SEAT
- (11) SITTING ON SEAT IN ABNORMAL
POSITION (E.G. FEET ON DASH,
SIDEWAYS)
- (12) SITTING ON CONSOLE
- (20) ON LAP OR IN ARMS
- (30) STANDING ON SEAT
- (40) STANDING ON FLOOR
- (47) STANDING, EXTERNAL TO
PASSENGER COMPARTMENT
- (50) IN BASSINET
- (60) IN CHILD SEAT
- (65) IN CHILD HARNESS
- (70) LYING ON SEAT
- (80) LYING/SITTING ON PASSENGER
FLOOR
- (83) LYING/SITTING ON OTHER
OBJECT IN PASSENGER
COMPARTMENT: _____
- (85) ON CARGO FLOOR/FOLDED
SEAT-BACK
- (87) LYING/SITTING, EXTERNAL TO
PASSENGER COMPARTMENT
- (97) OTHER: _____
- (99) UNKNOWN

10
18 19

MEDICAL CONDITIONS

TREATMENT/MORTALITY

- (00) NONE
- (01) FIRST AID AT SCENE
- (02) TREATED AT HOSPITAL/CLINIC
BUT NOT ADMITTED
- (03) HOSPITALIZED FOR OBSERVATION
LESS THAN 24 HOURS
- (04) HOSPITALIZED OVER 24 HOURS
OR FOR SIGNIFICANT TREATMENT
- (05) FATAL, DEAD AT SCENE
- (06) FATAL, DOA
- (07) FATAL, DEAD WITHIN 24 HOURS
- (08) FATAL, DEAD 24 HOURS TO
31 DAYS LATER
- (09) FATAL, DEAD 31 DAYS TO
1 YEAR LATER
- (10) FATAL DEAD WITHIN UNKNOWN
PERIOD
- (99) UNKNOWN

04
31 32

INJURY SEVERITY SCORE (ISS)

- (99) UNKNOWN

45
33 34

NON-IMPACT MED. CONDITIONS

- (0) NONE
- (1) YES, TIME & TYPE UNKNOWN
- (2) PRE-CRASH FATAL (CLINICAL
DEATH AT WHEEL)
- (3) PRE-CRASH NON-FATAL (E.G.
PRIOR INJURY, STROKE)
- (4) PREGNANT
- (5) POST-CRASH FATAL (DROWNING)
- (6) POST-CRASH NON-FATAL INJURY
- (7) OTHER: _____
- (8) COMBINATION OF ABOVE
(CIRCLE EACH)
- (9) UNKNOWN

0
35

OCCUPANT INFORMATION OC-2

OCCUPANT INFORMATION OC-2			
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	3 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL _____ _____ _____	88 41 42
RESTRAINT SYSTEM ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: _____ (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	3 37 0 38 1 39 2 40	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: _____ (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	0 43 98 44 45
IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW: _____ _____ _____ _____			
		HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

OCCUPANT INFORMATION OC-3

OCCUPANT EYEWEAR

- (0) NONE
- (1) GLASSES
- (2) CONTACTS
- (3) BOTH GLASSES AND CONTACTS
- (4) OTHER _____
- (8) NOT APPLICABLE
- (9) UNKNOWN

0
47

SOURCE OF INFORMATION

- (0) INTERVIEW
- (1) HOSPITAL
- (2) AUTOPSY
- (3) POLICE
- (4) OTHER _____
- (5) LAY CORONER/EXTERNAL EXAM
- (7) COMBINATION OF ABOVE (CIRCLE)
- (8) NOT APPLICABLE
- (9) UNKNOWN

7
48


OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.

Subdural/subarachnoid
hemorrhage in the
brainstem (5)


Right pulmonary
contusion (3)

Liver contusion (2)



C1 anterior arch fracture,
slightly displaced, with epidural
and subarachnoid hemorrhage
at the craniocervical junction.
Incomplete cord syndrome;
hemiplegia (4)

Right 2nd through 6th rib
fractures (2nd and 3rd are
fractured in two places), left
2nd through 4th rib fractures
with right hemothorax (4)



INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

[illegible]

NOTE: USE ADDITIONAL PAGES IF NECESSARY.

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT OF PASSENGER COMPARTMENT

- (10) SUNVISOR, FITTING(S) &/OR TOP MOLDING
- (12) WINDSHIELD
- (05) INSTRUMENT PANEL (*SPECIFIC AREA UNKNOWN*)
- (54) UPPER INSTRUMENT PANEL (*X*)
- (55) MIDDLE INSTRUMENT PANEL (*Y*)
- (56) LOWER INSTRUMENT PANEL (*Z*)
- (81) ASH TRAY (*INSTRUMENT PANEL*)
- (02) GLOVE COMPARTMENT AREA
- (47) AIRBAG (*ACRS*) COMPARTMENT DOOR/COVER
- (57) BENEATH INSTRUMENT PANEL
- (53) PARCEL TRAY
- (48) KNEE RESTRAINT
- (86) VERTICAL CONSOLE
- (28) FOOT CONTROLS (*INCL. PARKING BRAKE PEDAL*)
- (09) STEERING ASSEMBLY (*SPECIFIC AREA UNKNOWN*)
- (65) STEERING WHEEL
- (66) STEERING WHEEL COLUMN
- (59) TRANSMISSION LEVER ON COLUMN
- (03) HARDWARE ITEM (*SPECIFIC AREA UNKNOWN*)
- (82) INSTRUMENT(S)
- (83) CONTROL KNOB(S) & LEVER(S) (*FRONT*)
- (84) PARKING BRAKE HANDLE IN FRONT
- (67) IGNITION KEY
- (06) MIRROR
- (04) HEATER OR AIR CONDITIONING DUCTS
- (01) AIR CONDITIONING OR VENTILATION OUTLET(S)
- (08) RADIO (*BUILT IN*)
- (58) ADD-ON TAPE DECK, RADIO, A/C
- (68) ROOF MOUNTED CONTROLS/CONSOLES

REAR

- (88) SURFACE OF REAR INTERIOR
- (23) REAR WINDOW
- (39) REAR WINDOW HEADER
- (50) REAR SEAT CUSHION & BACK

INTERIOR-GENERAL

- (11) TRANSMISSION SELECTION LEVER (*LOCATION UNK.*)
- (59) TRANSMISSION LEVER ON STEERING COLUMN
- (44) TRANSMISSION LEVER ON FLOOR OR CONSOLE
- (07) PARKING BRAKE HANDLE (*LOCATION UNKNOWN*)
- (84) PARKING BRAKE HANDLE IN FRONT
- (85) PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
- (28) FOOT CONTROLS (*INCL. PARKING BRAKE PEDAL*)
- (29) FRONT SEAT-BACK(S)
- (51) FRONT SEAT CUSHION
- (50) REAR SEAT CUSHION & BACK
- (49) ARMREST ON SEAT
- (89) UNDER SEAT BOTTOM
- (33) RESTRAINT SYSTEM HARDWARE
- (34) RESTRAINT SYSTEM WEBBING
- (87) AIR CUSHION SKIN (*AIRBAG*)
- (47) AIRBAG (*ACRS*) COMPARTMENT DOOR/COVER
- (46) AIRBAG GAS
- (48) KNEE RESTRAINT
- (30) HEAD RESTRAINT
- (42) CHILD SEAT RESTRAINTS
- (43) CHILD SEAT
- (31) INTERIOR LOOSE OBJECT
- (32) OTHER OCCUPANT(S)
- (52) INTERNAL FLYING GLASS (*FROM ANY SOURCE*)
- (41) UNKNOWN INTERIOR SURFACE

SIDES

- (20) SURFACE OF SIDE INTERIOR
- (19) HARDWARE ON SIDE OR DOOR
- (13) ARMREST ON SIDE OR DOOR
- (24) COAT HOOK
- (22) WINDOW GLASS (*SIDE*)
- (21) WINDOW FRAMES (*SIDE*)
- (26) ROOF SIDE RAIL
- (14) A-PILLAR
- (15) B-PILLAR
- (16) C-PILLAR
- (17) D-PILLAR

FLOOR

- (40) FLOOR
- (27) CONSOLE ON FLOOR OR BETWEEN SEATS
- (44) TRANSMISSION LEVER ON FLOOR OR CONSOLE
- (85) PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
- (28) FOOT CONTROLS (*INCL. PARKING BRAKE PEDAL*)
- (91) KICKPANEL

ROOF

- (25) ROOF OR CONVERTIBLE TOP
- (10) SUNVISOR, FITTING(S) &/OR TOP MOLDING
- (26) ROOF SIDE RAIL
- (24) COAT HOOK
- (18) DOME LIGHT
- (39) BACKLIGHT HEADER
- (68) ROOF MOUNTED CONTROLS/CONSOLE
- (69) ROLL BAR

EXTERIOR SURFACE OF CASE VEHICLE

- (37) OUTSIDE SURFACE OF CASE VEHICLE (*SPECIFIC AREA UNKNOWN*)
- (35) HOOD OF CASE VEHICLE
- (60) EXTERIOR OF CASE VEHICLE (*E.G. OUTSIDE MIRRORS, ANTENNA, TRIM*)
- (62) EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
- (63) TRUNK LID OF CASE VEHICLE
- (64) TIRES OF CASE VEHICLE

BEYOND CASE VEHICLE BOUNDARY

- (36) AREA EXTERIOR TO CAR (*SPECIFIC AREA UNK.*)
- (70) HOOD OF OTHER VEHICLE
- (71) OTHER VEHICLE EXTERIOR HARDWARE (*E.G. OUTSIDE MIRRORS, ANTENNA, TRIM*)
- (73) EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
- (74) HEADLIGHT OR FRONT GRILL OF OTHER VEH.
- (75) TRUNK OF OTHER VEHICLE
- (76) OUTSIDE SURFACE OF OTHER VEHICLE
- (77) TIRES OF OTHER VEHICLE
- (78) GROUND
- (79) WATER
- (80) EXTERIOR OBJECT (*NOT VEHICLE, GROUND, OR WATER. PLEASE DESCRIBE.*)


PENETRATING OBJECTS

- (61) OTHER VEHICLE
- (72) OBJECTS (*DESCRIBE*)

MISCELLANEOUS

- (00) NO CONTACT (*INVALID FIELD FORM CODE*)
- (38) OTHER (*E.G. FIRE. DESCRIBE*)
- (90) SPARE TIRE
- (96) INDUCED
- (97) EJECTED, UNKNOWN CONTACT
- (98) IMPACT FORCE, "WHIPLASH", HYPEREXTENSION/COMPRESSION
- (99) UNKNOWN AREA OF CONTACT

THE FIGURE BELOW
IS AN EXPLANATION OF THE BODY REGION CODES
LISTED ON PAGE IC - 4.



INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

(H) HEAD/SKULL
 (F) FACE
 (N) NECK
 (S) SHOULDER
 (X) UPPER EXTREMITIES
 (A) ARM (*UPPER*)
 (E) ELBOW
 (R) FOREARM
 (W) WRIST/HAND
 (C) CHEST
 (M) ABDOMEN
 (B) BACK
 (P) PELVIC/HIP
 (Y) LOWER EXTREMITIES
 (T) THIGH
 (K) KNEE
 (L) LEG (*LOWER*)
 (Q) ANKLE/FOOT
 (O) WHOLE BODY
 (U) UNKNOWN

3 LESION

(L) LACERATION
 (C) CONTUSION
 (A) ABRASION
 (F) FRACTURE
 (P) PERFORATION,
 PUNCTURE
 (K) CONCUSSION
 (V) AVULSION
 (R) RUPTURE
 (S) SPRAIN
 (D) DISLOCATION
 (N) CRUSH
 (M) AMPUTATION
 (B) BURN
 (G) DETACHMENT,
 SEPARATION
 (Z) FRACTURE AND
 DISLOCATION
 (T) STRAIN
 (E) TOTAL SEVERANCE,
 TRANSECTION
 (O) OTHER
 (U) UNKNOWN

4 SYSTEM/ORGAN

(S) SKELETAL
 (V) VERTEBRAE
 (J) JOINTS
 (D) DIGESTIVE
 (L) LIVER
 (N) NERVOUS SYSTEM
 (B) BRAIN
 (C) SPINAL CORD
 (E) EARS
 (O) EYES
 (A) ARTERIES
 (H) HEART
 (Q) SPLEEN
 (G) UROGENITAL
 (K) KIDNEYS
 (R) RESPIRATORY
 (P) PULMONARY/LUNGS
 (M) MUSCLES
 (T) THYROID, OTHER
 ENDOCRINE GLAND
 (I) INTEGUMENTARY (*SKIN*)
 (W) ALL SYSTEMS IN REGION
 (U) UNKNOWN

2 ASPECT

(R) RIGHT
 (L) LEFT
 (B) BILATERAL
 (C) CENTRAL
 (A) ANTERIOR/FRONT
 (P) POSTERIOR/BACK
 (S) SUPERIOR/UPPER
 (I) INFERIOR/LOWER
 (W) WHOLE REGION
 (U) UNKNOWN

BODY REGION	ASPECT	LESION	SYSTEM/ORGAN	SEVERITY
1	2	3	4	5

5 SEVERITY
(OR "AIS", ABBREVIATED INJURY SCALE)

(0) NONE
 (1) MINOR
 (2) MODERATE
 (3) SERIOUS
 (4) SEVERE
 (5) CRITICAL
 (6) MAXIMUM
 (9) UNKNOWN

1. **Identify the problem.**
 2. **Identify the cause.**
 3. **Identify the effect.**
 4. **Identify the solution.**

[View Profile](#) [View Posts](#)
[View Profile](#) [View Posts](#)
[View Profile](#) [View Posts](#)
[View Profile](#) [View Posts](#)





PN 18500 #2



PN 18500-#3



PN 18500 #4



PN 18500 #5



PN 18500 #8



PN 18500 #7



PN 18500 #8



PN 18500 #9



PN 18500 #10



PN 18500#11



PN 18500 #12



PN 18500 #13



PN 18500 #14



PN 18500 #15



PN18500 #18
Best Available



PN 18500 #17
Best Available



PN 18500 #18
Best Available



PN 18500 #19
Best Available



PN 18500 #20
Best Available



PN 18500 #21
Best Available



PN 18500 #22

Best Available



PN 18500 #23
Best Available



PN 18500 #24
Best Available



PN 18500 #25



PN 18500 #26
Best Available



PN 18500 #27




PN 18500 #28



PN 18500 #29



PN 18500 #30



PN 18500 #31



PN 18500 #32



PN 18500 #33



PN 18500 #34



PN 18500 #35



PN 18500 #36



PN 18500 #37



PN 18500 #38



PN 18500 #39



PN 18500 #40



PN 18500 #41



PN 18500 #42



PN 18500 #43



PN 18500 #44



PN 1B500 #45



PN 18500 #46



PN 18500 #47



PN 18500 #48



PN 18500 #49



PN 18500 #50



PN 18500 #51



PN 18500#52



PN 18500 #53

